

**DRAG-A-BOX
BRAND
MATERIAL SPREADERS**

MODEL CE 7-12

SALES MANUAL

**BY
J. PYOTT & ASSOCIATES**

**ORDER FORM & PACKING LIST
CONTRACTORS QUALITY MATERIAL SPREADER
EXPANDABLE FROM 7' TO 12'
MODEL CE7-12**

CUSTOMER INFORMATION:

DATE: _____

COMPANY: _____

CONTACT: _____

PHONE: _____

FAX: _____

E-MAIL: _____

ADDRESS: _____

NOTES: _____

QUOTE

QTY	DESCRIPTION	PRICE (US \$)
_____	MATERIAL SPREADER CE7-12	_____
_____	TRUCK MOUNTING BRACKET (STANDARD)	_____
_____	PULL BAR SET (STANDARD)	_____
_____	BATTERY BOX & LIFT PLATE	_____
_____	LIFT PLATE	_____
_____	WINCH WITH WIRING HARNESS	_____
_____	BATTERY RECHARGING CABLE	_____
_____	SAFETY CHAIN W/ HOOKS, 6' (SET OF 2)	_____
_____	SAFETY CHAIN W/ HOOKS, 8' (SET OF 2)	_____
_____	SAFETY CHAIN W/ HOOKS, 10' (SET OF 2)	_____
_____	REPAIR BOLT KIT, MATERIAL SPREADER	_____
_____	INSTALL BOLT KIT, VEHICLE ATTACHMENT	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
	SHIPPING TO DESTINATION	_____

TOTAL _____

NOTE: ALL PRICES ARE GOOD FOR 3 MONTHS FROM DATE OF QUOTE. FOREIGN ORDERS WILL BE SHIPPED TO UNITED STATES PORT OF CHOICE UNLESS SPECIFIED. ALL OTHER FEES (SUCH AS VAT), TARIFFS, CUSTOMS, SALES TAXES, BANK FEES, ETC. ARE NOT INCLUDED AND ARE THE RESPONSIBILITY OF THE PURCHASER.

TRUCK MEASUREMENTS

PLEASE MAKE **ALL** MEASUREMENTS AND WRITE THEM IN THE SPACE PROVIDED. BE AS ACCURATE AS POSSIBLE.

TRUCK MEASUREMENT LIST

- H1 – GROUND TO BOTTOM OF TRUCK FRAME - _____
- H2 – GROUND TO BOTTOM OF BUMPER - _____
- H3 – GROUND TO TOP OF TRUCK FRAME - _____
- H4 – GROUND TO BOTTOM OF BED EXTENSION - _____
- H5 – GROUND TO TOP OF TAIL GATE - _____
- H6 – GROUND TO CENTER OF ROTATION PIN - _____
- H7 – GROUND TO END OF BED EXT (TILTED) - _____
- W1 – THICKNESS OF TAIL GATE - _____
- W2 – CENTER OF AXLE TO END OF FRAME - _____
- W3 – ROTATION PIN TO END OF FRAME - _____
- W4 – END OF FRAME TO END OF TRUCK BED - _____
- W5 – END OF TRUCK BED TO END OF BED EXT - _____
- W6 – END OF FRAME TO END OF BED EXT (TILTED) - _____
- W7 – WIDTH OF TRUCK BED - _____
- W8 – WIDTH OF TRUCK FRAME (IMPORTANT!) - _____
- W9 – WIDTH BETWEEN CENTER OF SPRING SHACKLES - _____

TRUCK INSPECTION PICTURES

PLEASE TAKE THE FOLLOWING SEVEN (7) PICTURES AND MAIL OR EMAIL ALL OF THEM WITH YOUR QUOTE REQUEST.

- I. REAR VIEW OF THE TRUCK BED, TRUCK BED DOWN, PHOTOGRAPHER STANDING AND FAR ENOUGH AWAY TO SHOW ALL OF THE TRUCK
- II. REAR VIEW OF THE TRUCK BED, TRUCK BED IN THE RAISED (DUMP) POSITION, PHOTOGRAPHER SITTING BEHIND THE TRUCK FOCUSING ON THE REAR SUSPENSION AND THE LOWER PORTION OF THE TRUCK BED
- III. REAR VIEW OF THE TRUCK, TRUCK BED DOWN, PHOTOGRAPHER SITTING UNDER THE TRUCK FOCUSING ON THE FRAME AND REAR SUSPENSION ON THE LEFT SIDE
- IV. SIDE VIEW OF THE TRUCK, TRUCK BED DOWN, PHOTOGRAPHER STANDING FAR ENOUGH AWAY TO SHOW ALL OF THE TRUCK BED
- V. SIDE VIEW OF THE TRUCK, TRUCK BED DOWN, PHOTOGRAPHER SITTING UNDER THE TRUCK FOCUSING ON THE FRAME AND REAR SUSPENSION ON THE LEFT SIDE.
- VI. SIDE VIEW OF THE TRUCK, TRUCK BED RAISED, PHOTOGRAPHER SITTING ON THE GROUND BESIDE THE TRUCK FOCUSING ON THE RELATIONSHIP OF THE TRUCK FRAME TO THE TRUCK BODY.
- VII. TAKE PICTURES OF ANYTHING UNUSUAL OR INTERESTING ABOUT THE TRUCK THAT MAY INTERFERE WITH THE MATERIAL SPREADER OR AID IN ATTACHING IT TO THE TRUCK.

TRUCK MEASUREMENTS

